



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/758,028	01/14/2004	Wha Sook Jeon	HLQ-006	6163
959 7590 07/31/2007 LAHIVE & COCKFIELD, LLP ONE POST OFFICE SQUARE BOSTON, MA 02109-2127			EXAMINER HOUSHMAND, HOOMAN	
			ART UNIT 2609	PAPER NUMBER
			MAIL DATE 07/31/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/758,028

Applicant(s)

JEON ET AL.

Examiner

Hooman Houshmand

Art Unit

2609

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 January 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-48 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-48 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☒ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date none.

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. Claims 1-31, 33-48 are under 35 U.S.C. 103(a) as being unpatentable over Denkert (USP 6374117), in view of Chen (USP 5982760).

Regarding **Claim 1**.

Denkert teaches:

A power allocation method (power control col 2 line 40) for providing a packet data service (wireless packet data systems col 3 line 15) in a mobile communication system (cellular communication system col 1 lines 14-15) having a base transceiver station (col 4 line 19) for performing wireless communication (wireless network col 4 line 49) with at least one mobile station (620 col 7 line 8) and a base station (610 col 7 line 8) controller

Art Unit: 2609

for controlling the base transceiver station (col 4 line 19), the method comprising the steps of: (a) checking whether or not packet data traffic is generated (Chen: packets of data sent as discrete frames col 2 line 28) (base station 610 handles a plurality of packet data channels col 7 lines 19-20); (b) if it is checked and the packet data traffic is generated in the step (a) (prioritizing data packet for transmission col 3 lines 30-31), checking whether or not there is the mobile station making use of a line service where a current call is in progress (utilizing real time voice application col 2 lines 7-8); (c) if it is checked and there is the mobile station making use of the line service where the current call is in progress (Chen: channel bandwidth is used to transmit voice traffic col 2 lines 36-37), checking whether or not there is the mobile station making use of the packet data service where the call is currently in progress; and (d) if it is checked and there is no mobile station making use of the packet data service where the current call is in progress (Chen: Packets of data are transmitted as discrete frames, when a frame is erased, packet data transmission ended, transmission power is adjusted col 2 lines 23-28), gradually increasing power transmitted (Chen: Base station increases transmission power col 2, lines 42-43) to the mobile station (power control is used to adjust operations of the communication system col 2 lines 40-41, Transmit power is ramped up to control link quality col 2 lines 45) making use of the packet data service to perform power control (power control in wireless packet data systems col 3 lines 7-8).

Denkert does not teach: Waiting for end of packet transmission when a voice call is in progress, then increasing transmission power.

Chen teaches: Waiting for end of packet transmission when a voice call is in progress, then increasing transmission power (col 2 lines 23-28, 42-43).

Both Chen and Denkert are in the power control for mobile devices field, their art is analogous. Chen's teaching of waiting for packet transmission to end, before increasing power transmission during a voice call can be combined with Denkert's teaching of transmission power control to produce applicants invention.

It would have been obvious, to a person having ordinary skill in the art, at the time the invention was made to combine teachings of Chen with Denkert so that calls are not undesirably terminated.

Regarding **Claim 2**. Denkert teaches: wherein the packet data traffic in the step (a) is generated when the mobile station performs packet data communication including at least one of a wireless application protocol (WAP), a file transfer protocol (FTP) and a hypertext transfer protocol (HTTP) (conversational, streaming, interactive, background classes. Class traffic. Internet applications, WWW, E-mail, Telnet, FTP col 2 lines 13-23).

Regarding **Claim 3**. Denkert teaches: further comprising the step of, if it is checked that there is no mobile station making use of the line service where the current call is in

Art Unit: 2609

progress in the step (b), allocating current whole power (Chen: power peak col 8 lines 22-23) to the mobile station making use of the packet data service (Transmit power is controlled in the wireless packet network using received signal strength, path loss information, bit error rate data col 4 lines 45-54).

Regarding **Claim 4**. Denkert teaches: further comprising the step of, if it is checked and there is the mobile station making use of the packet data service where the current call is in progress in the step (c), allocating current whole power (Chen: power peak col 8 lines 22-23) to the mobile station making use of the packet data service (Transmit power is controlled in the wireless packet network using received signal strength, path loss information, bit error rate data col 4 lines 45-54).

Regarding **Claim 5**. Chen teaches: wherein the step of allocating the power to the mobile station making use of the packet data service allocates current remaining power to the mobile station making use of the packet data service at once (power peak col 8 lines 22-23).

Regarding **Claim 6**. Chen teaches: wherein the step of allocating the power to the mobile station making use of the packet data service allocates current remaining power to the mobile station making use of the packet data service at once (power peak col 8 lines 22-23).

Art Unit: 2609

Regarding **Claim 7**. Denkert teaches: wherein the step (d) performs power allocation in a way that the power transmitted to the mobile station making use of the packet data service is gradually increased at a preset period of time for a preset predetermined time (ramping transmit power up col 2 line 44, Transmit power is controlled in the wireless packet network using received signal strength, path loss information, bit error rate data col 4 lines 45-54).

Regarding **Claim 8**. Denkert teaches: wherein the preset period of time is 1.25 msec (The delay threshold used in decision block 320 may be fixed, dependent on the QoS parameter, sensitive to packet delay. E.g. if average packet delay is guaranteed in the milliseconds range then this will be the selected system delay threshold col 5 lines 29-40) (Chen: Col 12 lines 29-31 power transmission window of 1.25 milliseconds).

Regarding **Claim 9**. Denkert teaches: wherein the power allocation gradually increases the power transmitted to the mobile station making use of the packet data service by a same preset power magnitude at each preset period of time (increasing power level in increments col 5 lines 26-27).

Regarding **Claim 10**. Denkert teaches: wherein the power allocation controls the power transmitted to the mobile station making use of the packet data service to be gradually increased at each preset period of time in a way that an increasing width of each step is gradually decreased as the period of time proceeds (power control algorithm is a

Art Unit: 2609

function of a delay variable Col 5 lines 18-20 depending on priority level power is increased by increments col 5 lines 25-28 delay time in transmitting packets leads to increasing transmitted power col 5 lines 40-48).

Regarding **Claim 11**. Denkert teaches: wherein the gradually increasing power is increased up to a peak power which can be currently transmitted (maximum transmit power available at the base station transceiver col 4 lines 61-62).

Regarding **Claim 12**. Denkert teaches: wherein the gradually increasing power is increased up to a peak power which can be currently transmitted (maximum transmit power available at the base station transceiver col 4 lines 61-62).

Regarding **Claim 13**. Denkert teaches: wherein the preset predetermined time is a time which it takes a signal-to-interference ratio (carrier-to-interference ratio col 2 lines 38-39) of the mobile station to be restored to an original value (QoS level col 2 line 32) thereof when the power allocated to the mobile station making use of the line service is changed (power control used with C/I targets to ramp transmit power up or down for each link to control link quality col 2 lines 43-45).

Regarding **Claim 14**.

Denkert teaches:

Art Unit: 2609

A power allocation method (power control col 2 line 40) for providing a packet data service (wireless packet data systems col 3 line 15) in a mobile communication system (cellular communication system col 1 lines 14-15) having a base transceiver station (col 4 line 19) for performing wireless communication (wireless network col 4 line 49) with at least one mobile station (620 col 7 line 8) and a base station (610 col 7 line 8) controller for controlling the base transceiver station (col 4 line 19), the method comprising the steps of: (a) checking whether or not packet data traffic is generated (Chen: packets of data sent as discrete frames col 2 line 28) (base station 610 handles a plurality of packet data channels col 7 lines 19-20); (b) if it is checked and the packet data traffic is generated in the step (a) (prioritizing data packet for transmission col 3 lines 30-31), checking whether or not there is the mobile station making use of a line service where a current call is in progress (utilizing real time voice application col 2 lines 7-8); (c) if it is checked and there is the mobile station making use of the line service where the current call is in progress (Chen: channel bandwidth is used to transmit voice traffic col 2 lines 36-37), checking whether or not there is the mobile station making use of the packet data service where the call is currently in progress (transmitting electronic mail col 2 line 10); and (d) if it is checked and there is no mobile station making use of the packet data service where the current call is in progress (Chen: Packets of data are transmitted as discrete frames, when a frame is erased, packet data transmission ended, transmission power is adjusted col 2 lines 23-28), gradually increasing power transmitted to the mobile station (power control is used to adjust operations of the communication system col 2 lines 40-41, Transmit power is ramped up to control link quality col 2 lines 45)

Art Unit: 2609

making use of the packet data service by a same preset power magnitude (power increment col 5 line 27) at each preset period of time (real time services such as VoIP col 2 line 5) for a preset predetermined time (time slot in the downlink col 1 line 53).

Regarding **Claim 15.**

Denkert teaches: wherein the packet data traffic in the step (a) is generated when the mobile station performs packet data communication including at least one of a wireless application protocol (WAP), a file transfer protocol (FTP) and a hypertext transfer protocol (HTTP) (conversational, streaming, interactive, background classes. Class traffic. Internet applications, WWW, E-mail, Telnet, FTP col 2 lines 13-23).

Regarding **Claim 16.**

Denkert teaches: further comprising the step of, if it is checked and there is no mobile station making use of the line service where the current call is in progress in the step (b), allocating current whole power (Chen: power peak col 8 lines 22-23) to the mobile station making use of the packet data service (Transmit power is controlled in the wireless packet network using received signal strength, path loss information, bit error rate data col 4 lines 45-54).

Regarding **Claim 17.**

Denkert teaches: further comprising the step of, if it is checked and there is the mobile station making use of the packet data service where the current call is in progress in the

Art Unit: 2609

step (c), allocating current whole power (Chen: power peak col 8 lines 22-23) to the mobile station making use of the packet data service (Transmit power is controlled in the wireless packet network using received signal strength, path loss information, bit error rate data col 4 lines 45-54).

Regarding **Claim 18**.

Chen teaches: wherein the step of allocating the power to the mobile station making use of the packet data service allocates current remaining power to the mobile station making use of the packet data service at once (power peak col 8 lines 22-23).

Regarding **Claim 19**.

Chen teaches: wherein the step of allocating the power to the mobile station making use of the packet data service allocates current remaining power to the mobile station making use of the packet data service at once (power peak col 8 lines 22-23).

Regarding **Claim 20**.

Denkert teaches: wherein the preset period of time is 1.25 msec (The delay threshold used in decision block 320 may be fixed, dependent on the QoS parameter, sensitive to packet delay. E.g. if average packet delay is guaranteed in the milliseconds range then this will be the selected system delay threshold col 5 lines 29-40) (Chen: Col 12 lines 29-31 power transmission window of 1.25 milliseconds).

Art Unit: 2609

Regarding **Claim 21**.

Denkert teaches: wherein the gradually increasing power is increased up to a peak power which can be currently transmitted (maximum transmit power available at the base station transceiver col 4 lines 61-62).

Regarding **Claim 22**.

Denkert teaches: wherein the preset predetermined time is a time which it takes a signal-to-interference ratio (carrier-to-interference ratio col 2 lines 38-39) of the mobile station to be restored to an original value (QoS level col 2 line 32) thereof when the power allocated to the mobile station making use of the line service is changed (power control used with C/I targets to ramp transmit power up or down for each link to control link quality col 2 lines 43-45).

Regarding **Claim 23**.

Denkert teaches:

A power allocation method (power control col 2 line 40) for providing a packet data service (wireless packet data systems col 3 line 15) in a mobile communication system (cellular communication system col 1 lines 14-15) having a base transceiver station (col 4 line 19) for performing wireless communication (wireless network col 4 line 49) with at least one mobile station (620 col 7 line 8) and a base station (610 col 7 line 8) controller for controlling the base transceiver station (col 4 line 19), the method comprising the steps of: (a) checking whether or not packet data traffic is generated (Chen: packets of

Art Unit: 2609

data sent as discrete frames col 2 line 28) (base station 610 handles a plurality of packet data channels col 7 lines 19-20); (b) if it is checked and the packet data traffic is generated in the step (a) (prioritizing data packet for transmission col 3 lines 30-31), checking whether or not there is the mobile station making use of a line service where a current call is in progress (utilizing real time voice application col 2 lines 7-8); (c) if it is checked and there is the mobile station making use of the line service where the current call is in progress (Chen: channel bandwidth is used to transmit voice traffic col 2 lines 36-37), checking whether or not there is the mobile station making use of the packet data service where the call is currently in progress (transmitting electronic mail col 2 line 10); and (d) if it is checked and there is no mobile station making use of the packet data service where the current call is in progress (Chen: Packets of data are transmitted as discrete frames, when a frame is erased, packet data transmission ended, transmission power is adjusted col 2 lines 23-28), controlling power transmitted to the mobile station making use of the packet data service to be gradually increased (power control is used to adjust operations of the communication system col 2 lines 40-41, Transmit power is ramped up to control link quality col 2 lines 45 power control in wireless packet data systems col 3 lines 7-8) at each preset period of time for a preset predetermined time in a way that an increasing width of each step is gradually decreased as the period of time proceeds (power control algorithm is a function of a delay variable Col 5 lines 18-20 depending on priority level power is increased by increments col 5 lines 25-28 delay time in transmitting packets leads to increasing transmitted power col 5 lines 40-48).

Art Unit: 2609

Regarding **Claim 24.**

Denkert teaches: wherein the packet data traffic in the step (a) is generated when the mobile station performs packet data communication including at least one of a wireless application protocol (WAP), a file transfer protocol (FTP) and a hypertext transfer protocol (HTTP) (conversational, streaming, interactive, background classes. Class traffic. Internet applications, WWW, E-mail, Telnet, FTP col 2 lines 13-23).

Regarding **Claim 25.**

Denkert teaches: further comprising the step of, if it is checked and there is no mobile station making use of the line service where the current call is in progress in the step (b), allocating current whole power (Chen: power peak col 8 lines 22-23) to the mobile station making use of the packet data service (Transmit power is controlled in the wireless packet network using received signal strength, path loss information, bit error rate data col 4 lines 45-54).

Regarding **Claim 26.**

Denkert teaches: further comprising the step of, if it is checked and there is the mobile station making use of the packet data service where the current call is in progress in the step (c), allocating current whole power (Chen: power peak col 8 lines 22-23) to the mobile station making use of the packet data service (Transmit power is controlled in the wireless packet network using received signal strength, path loss information, bit error rate data col 4 lines 45-54).

Regarding **Claim 27**.

Chen teaches: wherein the step of allocating the power to the mobile station making use of the packet data service allocates current remaining power to the mobile station making use of the packet data service at once (power peak col 8 lines 22-23).

Regarding **Claim 28**:

Chen teaches: wherein the step of allocating the power to the mobile station making use of the packet data service allocates current remaining power to the mobile station making use of the packet data service at once (power peak col 8 lines 22-23).

Regarding **Claim 29**.

Denkert teaches: wherein the preset period of time is 1.25 msec (The delay threshold used in decision block 320 may be fixed, dependent on the QoS parameter, sensitive to packet delay. E.g. if average packet delay is guaranteed in the milliseconds range then this will be the selected system delay threshold col 5 lines 29-40) (Chen: Col 12 lines 29-31 power transmission window of 1.25 milliseconds).

Regarding **Claim 30**.

Denkert teaches: wherein the gradually increasing power is increased up to a peak power which can be currently transmitted (maximum transmit power available at the base station transceiver col 4 lines 61-62).

Regarding Claim 31

Denkert teaches: wherein the preset predetermined time is a time which it takes a signal-to-interference ratio (carrier-to-interference ratio col 2 lines 38-39) of the mobile station to be restored to an original value (QoS level col 2 line 32) thereof when the power allocated to the mobile station making use of the line service is changed (power control used with C/I targets to ramp transmit power up or down for each link to control link quality col 2 lines 43-45).

Regarding Claim 33

Denkert teaches: A power allocation apparatus for providing a packet data service in a mobile communication system over a mobile communication network having a base transceiver station for performing wireless communication with at least one mobile station, and a base station controller connected to a mobile switching center (mobile calls routed by packet-switched col 1 lines 16-17) and for controlling the base transceiver station, the power allocation apparatus (power control circuit col 2 lines 41-42) comprising: the base transceiver station (base transceiver stations BTS col 4 line 18) including an antenna (Packets are then transmitted by the BTS 180 over the air interface col 4 line 25) for performing wireless communication with the mobile station (mobile station 620 col 7 line 8); a transmission section (base station 610 col 7 line 8 also see Fig. 6) for performing wireless transmission by means of the antenna; a reception section (packet data channel transceiver 650 col 7 line 20 also see Fig. 6) for

Art Unit: 2609

performing wireless reception by means of the antenna; a data reception section (control and processing unit 630 also see Fig. 6) for receiving data to be transmitted from the mobile communication network to the mobile station; a data processing section (control and processing unit 630 also see Fig. 6) for processing the data received through the data reception section in accordance with a predetermined algorithm (evaluates the received control channel information col 7 lines 41-42); a modulation section (block 520 modulation col 6 lines 64-65 also see Fig. 5) for modulating the data processed by the data processing section; and a power section (base transceiver stations, the transceivers are transmitter/receivers which have a power supply section col 4 line 19) for supplying/driving power to allow the data modulated by the modulation section to be transmitted (transmitted by the BTS 180 col 4 line 25 also see Fig. 2) through the antenna; and a control section (packet data channel transceiver 650 would provide info on if there is packet data traffic col 7 line 20) for checking whether or not there is the mobile station making use of the packet data service (Chen col 2 lines 23-28), and according to the checked result, controlling the power section to gradually regulate (adapt the transmit power of each transceiver col 7 lines 34-35) the power transmitted to the mobile station making use of the packet data service.

Regarding Claim 34.

Denkert teaches: wherein the control section is provided to the base transceiver station (base station 610 col 7 line 19).

Art Unit: 2609

Regarding **Claim 35.**

Denkert teaches: wherein the control section is provided to the base station controller (control unit 630 col 7 line8).

Regarding **Claim 36.**

Denkert teaches: wherein the control section comprises: a packet scheduler (packet data scheduler col 1 lines 46-47) for receiving data transmitted from the mobile communication network to perform packet scheduling; a channel estimator (carrier-to-interference (C/I) ratio col 2 lines 38-39 noise and interference col 6 lines 16-17) for estimating channels according to signals received through the reception section; a channel allocator (a plurality of base transceiver stations each associated with a channel col 4 line 25) for allocating communication channels; a power allocator (power control 300 col 4 line 51) for controlling the power section to allocate transmission power; and a coding and modulating selector (appropriate modulation and coding scheme col 2 lines 34-35) for performing coding and modulating of the data.

Regarding **Claim 37.**

Denkert teaches: wherein the control section controls the power section to gradually increase the power transmitted (power control is used to adjust operations of the communication system col 2 lines 40-41, Transmit power is ramped up to control link quality col 2 lines 45) to the mobile station making use of the packet data service, in the case where packet data traffic is generated for the first time during performing initial

Art Unit: 2609

power control (First, the QoS attributes are evaluated at step 500 col 6 lines 57-58), where there is the mobile station making use of a line service where a current call is in progress (cellular radiotelephone and voice over IP col 1 lines 10, 24), and where there is no mobile station making use of the packet data service where the current call is in progress (mobile calls routed in a circuit-switched fashion col 1 lines 17-18).

Regarding Claim 38.

Denkert teaches: wherein the control section controls the power section to allocate current whole power (Chen: power peak col 8 lines 22-23) to the mobile station making use of the packet data service (Transmit power is controlled in the wireless packet network using received signal strength, path loss information, bit error rate data col 4 lines 45-54), in the case where there is no mobile station making use of the line service where the current call is in progress when the packet data traffic is generated for the first time.

Regarding Claim 39.

Denkert teaches: wherein the control section controls the power section to allocate current whole power (Chen: power peak col 8 lines 22-23) to the mobile station making use of the packet data service, in the case where there is the mobile station making use of the packet data service (packet data communications in radio communication systems col 1 lines 7-8) where the current call is in progress when the packet data

Art Unit: 2609

traffic is generated for the first time (First, the QoS attributes are evaluated at step 500 col 6 lines 57-58).

Regarding **Claim 40**.

Denkert teaches: wherein the control section controls the power section to allocate current remaining power to the mobile station making use of the packet data service at once (Chen: power peak col 8 lines 22-23), in order to allocate the power to the mobile station making use of the packet data service (Transmit power is controlled in the wireless packet network using received signal strength, path loss information, bit error rate data col 4 lines 45-54).

Regarding **Claim 41**.

Denkert teaches: wherein the control section controls the power section to allocate current remaining power to the mobile station making use of the packet data service at once (Chen: power peak col 8 lines 22-23), in order to allocate the power to the mobile station making use of the packet data service (Transmit power is controlled in the wireless packet network using received signal strength, path loss information, bit error rate data col 4 lines 45-54).

Regarding **Claim 42**.

Denkert teaches: wherein the control section controls the power section to gradually increase the power transmitted to the mobile station (ramping transmit power up col 2

Art Unit: 2609

line 44, Transmit power is controlled in the wireless packet network using received signal strength, path loss information, bit error rate data col 4 lines 45-54) making use of the packet data service at a preset period of time for a preset predetermined time.

Regarding Claim 43.

Denkert teaches: wherein the control section controls the power section by setting the preset period of time to 1.25 msec (The delay threshold used in decision block 320 may be fixed, dependent on the QoS parameter, sensitive to packet delay. E.g. if average packet delay is guaranteed in the milliseconds range then this will be the selected system delay threshold col 5 lines 29-40) (Chen: Col 12 lines 29-31 power transmission window of 1.25 milliseconds).

Regarding Claim 44.

Denkert teaches: wherein the control section controls the power section to gradually increase the power transmitted to the mobile station (increasing power level in increments col 5 lines 26-27) making use of the packet data service by a preset power magnitude at each preset period of time.

Regarding Claim 45.

Denkert teaches: wherein the control section controls the power section to gradually increase the power transmitted to the mobile station (power control algorithm is a function of a delay variable Col 5 lines 18-20 depending on priority level power is

Art Unit: 2609

increased by increments col 5 lines 25-28 delay time in transmitting packets leads to increasing transmitted power col 5 lines 40-48) making use of the packet data service at each preset period of time in a way that an increasing width of each step is gradually decreased as the preset period of time proceeds.

Regarding **Claim 46.**

Denkert teaches: wherein the control section controls the power section to cause the increasing width to be gradually decreased as the preset period of time proceeds so as for the power transmitted to the mobile station (power control algorithm is a function of a delay variable Col 5 lines 18-20 depending on priority level power is increased by increments col 5 lines 25-28 delay time in transmitting packets leads to increasing transmitted power col 5 lines 40-48) making use of the packet data service to increase in exponential proportion.

Regarding **Claim 47.**

Denkert teaches: wherein the control section controls the power section to cause the gradually increasing power to be increased up to a peak power (maximum transmit power available at the base station transceiver col 4 lines 61-62) which can be currently transmitted.

Regarding **Claim 48.**

Art Unit: 2609

Denkert teaches: wherein the control section controls the power section using the preset predetermined time as a time which it takes a signal-to-interference ratio (carrier-to-interference ratio col 2 lines 38-39) of the mobile station to be restored to an original value (QoS level col 2 line 32) thereof when the power allocated to the mobile station making use of the line service is changed (power control used with C/I targets to ramp transmit power up or down for each link to control link quality col 2 lines 43-45).

5. Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over Denkert, in view of Chen and Richards (USP 7209724).

Regarding **Claim 32**.

Denkert teaches:

The power allocation method as claimed in claim 23, wherein the step (d) gradually decreases an increasing width at each preset period of time (power control algorithm is a function of a delay variable Col 5 lines 18-20 depending on priority level power is increased by increments col 5 lines 25-28 delay time in transmitting packets leads to increasing transmitted power col 5 lines 40-48) so as for the power transmitted to the mobile station making use of the packet data service to increase in exponential proportion (Richards: power control with exponential gain control col 33 lines 25-30) for the preset predetermined time (time slot in the downlink col 1 line 53).

Denkert does not teach increase in exponential proportion.

Art Unit: 2609

Richards teaches increase in exponential proportion (col 33 lines 25-30).

Richards teachings in power control with exponential gain can be combined with Denkert's teachings on power control to produce the applicant's invention of increasing power in exponential proportion.

Both Richards and Denkert are in the power control field for radio communications – their art is analogous.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to combine Richards's teachings with Denkert's teachings to provide optimal power management in a radio communication system.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: Dent (USP 5745523) discloses multi-mode radio communication systems and circuits for digital and analog communications.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hooman Houshmand whose telephone number is 571-270-1817. The examiner can normally be reached on Monday - Friday 8 to 5.

Art Unit: 2609

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Garber can be reached on 571-272-2194. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HH

A handwritten signature in black ink, appearing to read "Yuchen Pan". The signature is stylized with a large, sweeping initial "Y" and "P".